



Product Name: Yealink CP960-TEAMS Conference Phone for Microsoft Teams Manufacturer: Yealink Model Number: CP960-TEAMS

Yealink CP960-TEAMS IP Conference Phone for Microsoft Teams with Colour Touch Screen The Yealink CP960TEAMS is an Optima HD IP, enterprise-grade conference phone that's compatible with Microsoft® Teams, bringing the Teams experience and functionality from the desktop to the conference room. Based on Android OS, the CP960 not only unceasingly boosts the user experience, but also strikes an exquisite balance between simplicity and sophistication with Teams user-interface. Delivering unparalleled audio clarity, the CP960 is armed with Yealink's Optima HD Voice technology, that phone users will think they are sitting in the same room with one another.

Yealink CP960 Key Features

- ï¿1/2 5" 720x1280 multi-touch screen
- ï¿1/2 Optimal HD audio, full duplex technology
- ï¿1/2 20-foot (6-meter),360-degree microphone pickup rang
- ï¿1/2 Microsoft Teams-tailored user interface
- ï¿1/2 Supports Office 365, and upgradability of device applications to Teams or SFB
- ï¿1/2 Based on Android OS
- ï¿1/2 Background noise supression
- ï¿1/2 3-Microphone Array

Easier to be heard and involved in the conference roomThe CP960 conference phone combines the hardware and software to fully improveits audio quality. Thanks to its built-in 3-microphone array, CP960 owns a 20 feet(6m) and 360° voice pickup range, regarding as an ideal solution for any conferenceroom that needs best audio experience, as if all participants are sitting across thetable from each other!Ease of use, low learning costThe 5-inch multi-touch screen and the Teams-tailored interface provide a rich visualpresentation and easy menu navigation. The CP960 is fully compatible with Teams key calling/meeting functionality, offering a rich and talented ecosystem for your team. The CP960 even lets users synchronize Outlook Calendar meeting schedulesin real-time- join a meeting with just a tap.Efficient Provisioning and ManagementThe Yealink CP960 is coupled with Yealink efficient auto-provisioning mechanism,including phone deployment and configuration. Administrators can take advantageof centralized deployment, management, updating. Moreover, CP960 supportsseveral device management platforms, including Microsoft/Yealink/Unify SquareDevice Management Platform.

Ergonomic DesignStylish and professional, the CP960 features metallic silver and a UV process design, bringing an upscale touch to any meeting room. The five-inch high-resolution 720x1280 multi-touch screen puts fast and smooth controls at your fingertips, adding simplicity and comfort to the business conference experience.

Yealink CP960 IP Conference Phone - Technical Specifications Audio Features

- ï¿1/2 Optimal HD audio
- ï¿1/2 Yealink Noise Proof Technology
- ï¿1/2 20-foot (6-meter) microphone pickup range
- ï¿<sup>1</sup>/<sub>2</sub> Apply to medium to large conference room
- ï¿1/2 Built-in 3-microphone array, 360-degree voice pickup
- � 56mm diameter and 10w speaker
- ï¿1/2 Full-duplex speakerphone with AEC
- ï¿1/2 Echo cancellation tail length is up to 320ms
- ï¿1/2 Background noise suppression

� Audio codec: SILK, Opus, G.722, G.722.1, G.722.1C, G.711 (A/µ), G.723, G.726, G.729AB, ILBC



**Call Handling Features** 

� P2P call � Cloud PSTN call � Call hold/Call mute/Call transfer/Call forward � Group SimRing � Second forwarded if unanswered � Block calls without caller ID

Conference Features

ï¿1/2 One-Click Join

ï¿1/2 Add a Participant to existing meeting

ï¿1/2 Conference Mute/Unmute participants

ï¿1/2 Display Meeting Info

ï¿<sup>1</sup>/<sub>2</sub> Calendar access to my meetings

- ï¿1/2 Show acceptance status per participant
- ï¿1/2 Schedule Teams meeting

Presence and Contacts

i¿1/2 Presence status synchronize with client, Presence status control

- ï¿1/2 Corporate Directory Access
- ï¿1/2 Show contact picture

**Phone Features** 

� Single sign-in � Visual voicemail Change VM playback speed � Phone lock � Screensaver � Power Saving

**Display and Indicator** 

ï¿1/2 5" 720x1280 capacitive touch screen

ï¿1∕2 Volume key

� Home button

- ï¿1/2 Multilingual user interface
- ï¿1/2 Modern Teams interface, Full keyboard
- ï¿1/2 Presence status control: available, busy, DND, be right back, off work, away

Interface

ï¿1/2 1 x RJ45 10/100M Ethernet port

i¿1/2 Built-in Wi-Fi (2.4GHz/5GHz, 802.11.b/g/n/ac) (pending)

ï¿1/2 Built-in Bluetooth 4.0 (pending)



- ï¿1/2 Power over Ethernet (IEEE 802.3af ), class 4
- ï¿1/2 2 x Wired MIC port
- ï¿1/2 2 x USB 2.0 port
- ï¿<sup>1</sup>/<sub>2</sub> 1 x 3.5mm audio-out port
- ï¿<sup>1</sup>/<sub>2</sub> 1 x USB 2.0 Micro-B device port
- ï¿1/2 1 x Security slot

Network and Security

- ï¿1/2 SIP v1 (RFC2543), v2 (RFC3261)
- � IPv4/IPv6
- ï¿<sup>1</sup>/<sub>2</sub> IP assignment: static/DHCP
- ï¿1/2 HTTP/HTTPS web server
- تزاري Time and date synchronisation using SNTP
- ï¿1/2 SRTP for voice, Transport Layer Security (TLS)
- ï¿1/2 HTTPS certificate manager
- ï¿1/2 Digest authentication using MD5/MD5-sess
- ï¿1∕₂ IEEE802.1X

#### Management

- تزائر Configuration: browser/phone/auto-provision and Device Management Platform
- ï¿<sup>1</sup>/<sub>2</sub> Provisioning priority management
- ï¿1/2 Auto Provisioning via Activation Code
- i¿1/2 Yealink Redirection and Provisioning Service (RPS)
- ï¿<sup>1</sup>/<sub>2</sub> QoE (Monitoring Reports)
- ï¿1/2 Reset to factory, reboot
- ï¿1/2 Package tracing export, system log
- � Screenshot via URL
- ï¿1/2 View license status
- i¿1/2 Supports Microsoft Device Management Platform
- i¿1/2 Supports Yealink Device Management Platform
- i¿1/2 Supports Unify Square Device Management Platform

Other Physical Features

- ï¿1/2 Color: Space Silver
- ï¿1/2 External Yealink PoE adapter (optional)
- ï¿<sup>1</sup>/<sub>2</sub> Power consumption (PoE): 5.25w-12.3w
- ï¿1/2 Dimension (W\*D\*H): 338mm\*338mm\*74mm
- ï¿1/2 Operating humidity: 10~90%
- ï¿1/2 Storage temperature: -10~50°C (+14~122°F)

Package Features

i¿½ Package content: - Yealink CP960 IP conference phone - Ethernet Cable (7.5m CAT5E UTP cable) - Wireless Microphone CPW90 (Optional) - Wired Microphone CPE90 (Optional) - Quick Start Guide - Yealink PoE Adapter YLPOE30 (Optional)

ï¿1/2 Qty/CTN: 4 PCS • N.W/CTN: 5.6 kg (CP960)/10.4 kg (CP960-WirelessMic)

G.W/CTN: 8.4 kg (CP960)/11.6 kg (CP960-WirelessMic)

ï¿1/2 Giftbox size: 405mm\*392mm\*141mm

ï¿<sup>1</sup>/<sub>2</sub> Carton Measurement: 589mm\*401mm\*421mm



### Price: £371.30

Options available for Yealink CP960-TEAMS Conference Phone for Microsoft Teams :

**DECT Microphones required?** Not required, CPW90 Wireless Expansion Mic (+£167.44).