

Logitech MeetUp 4K USB Mini Soundbar Camera (960-001102)

Product Name: Logitech MeetUp 4K USB Mini Soundbar Camera (960-001102)

Manufacturer: Logitech
Model Number: 960-001102

Logitech MeetUp 4K USB Mini Soundbar Camera (960-001102)

The Logitech MeetUp is a premier ConferenceCam designed for small conference rooms and huddle rooms. With a room capturing, superwide 120° field of view, MeetUp makes every seat at the table clearly visible. Motorised pan/tilt widens FOV even further: up to 170°. A low-distortion Logitech-engineered lens, Ultra HD 4K optics, and three camera presets deliver remarkable video quality and further enhance face-to-face collaboration. Logitech MeetUp Key Features

- ï¿1/2 Super-wide 120° field of view
- � Ultra HD 4K image sensor
- 12.1/2 3-microphones and custom-tuned speaker
- � Razor-sharp optics
- ï¿⅓ 5x HD zoom
- آزار Motorised pan/tilt
- ï¿1/2 3 camera presets
- � Bluetooth® wireless technology
- � Expansion microphone-ready
- ï¿1/2 All-in-one design
- � RF remote control
- ï¿1/2 Certified for Business
- ï¿1/2 Plug-and-play USB connectivity
- า๊¿1/2 Works with most video conferencing applications
- ï¿1/2 Multiple mounting options
- � Kensington® security slot

MeetUp's integrated audio is optimised for huddle room acoustics and delivers an exceptional sound experience. Three horizontally-aimed beamforming mics and a custom-tuned speaker help ensure your meetings sound as great as they look. Humans have evolved to associate human voices with their visible images. MeetUp's front-of-room audio provides an intuitive and coherent listening experience.

With a compact all-in-one design that minimises cable clutter, MeetUp is USB plugand-play and simply works right out of the box with any video conferencing software application and cloud service—including the ones you already use.

Logitech MeetUp Technical Specifications

Camera

- ϊ¿½ Custom Logitech lens with 5x HD zoom and motorized pan (+/- 25°) and tilt (+/- 15°:)
- ī¿½ Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7°
- าั¿½ Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall
- ï¿1/2 3 camera position presets
- าั¿½ RightSight auto-framing (requires Windows 10 64-bit or macOS 10.14 or higher)
- Ti21/2 Video Performance:- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable)- 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps)- 720p HD video calling (up to 1280 x 720 pixels @ 30 fps)

Microphone

- 12/2 Integrated microphone with 3 beamforming elements
- ī¿½ Pickup Range:- MeetUp: 4 meters- With optional Expansion Mic: 5 meters



Logitech MeetUp 4K USB Mini Soundbar Camera (960-001102)

- ï¿1/2 Sensitivity: -27dB
- าั¿½ Microphone frequency response: 90Hz 16kHz for full voice reproduction and high intelligibility without noise
- T¿½ Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction
- � AEC (Acoustic echo cancellation)
- � VAD (Voice activity detector)
- � Microphone background noise suppression
- � Microphone date rate: 32 kHz sampling rate
- � Recommended # of participants: 6
- ï¿1/2 Recommended # of participants with expansion mic: 8

Speaker

- i¿½ Volume adjustable to 95 dB SPL at 1/2 meter peak
- ï¿1/2 Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter
- آذِ 12 Distortion: 200 Hz -300Hz < 3%, 3000 Hz -10KHz < 1%
- T¿½ Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces

General

- ï¿1/2 Bluetooth® wireless technology
- � RF remote control
- ī¿½ Integrated table/wall mount; optional TV mount available
- � Kensington security slot

Dimensions and Weight

� Camera:- 400 x 104 x 85 mm- 15.75 x 4.1 x 3.35"- 1.04 kg / 2.3 lbs � Remote:- 83 x 10 x 83 mm- 3.25 x 0.375 x 3.25"- 72 g / 2.5 oz

System Requirements

آذِ½ Windows® 7, Windows 8.1, or Windows 10 macOS 10.10 or higher الأدين USB 2.0 port (USB 3.0 port and cable required for 4K video)

Rightsense Technologies

i¿½ RightLight:- Low-light compensation- Video noise reduction- Low-light saturation optimisation
 i¿½ RightSight:- Human figure detection- Auto-frame participants at meeting start- Auto-frame participants on-demand- Auto-reframe when participants enter, leave, or change positions
 i¿½ RightSound:- Machine learning AI trained to distinguish human speech from other sounds-AEC (Acoustic Echo Cancellation)- VAD (Voice Activity Detector)- Background noise suppression-Auto-level loud and soft voices- Peak-limiting algorithm eliminates even momentary speaker clipping to prevent distortion- Anti-vibration enclosure

Compatibility and Integrations

- ï¿1/2 Plug-and-play USB connectivity
- 12.1/2 Certified for Skype™ for Business and Microsoft Teams
- ï¿1/2 Zoom™ Certified
- � Fuze™ Certified
- i¿1/2 Certified for Google Hangouts Meet Hardware



Logitech MeetUp 4K USB Mini Soundbar Camera (960-001102)

� Microsoft Cortana®

� Cisco Jabber®

� Compatible with BlueJeans, BroadSoft™, GoToMeeting™, Vidyo™, and other video conferencing, recording, and broadcasting applications that support USB cameras

Package Contents

ï¿1/2 MeetUp ConferenceCam

ï¿⅓ Remote control

ï¿1/2 USB 2.0 cable: 5 m

ï¿⅓ Power supply

ï¿1/2 Wall mount and hardware

� User documentation

Warranty

تز 2-Year Limited Hardware Warranty

Price: £426.70

Options available for Logitech MeetUp 4K USB Mini Soundbar Camera (960-001102):

TV Mount

TV Mount Up to 55" Screen (+£85.39), Not Required, TV Mount Up to 90" Screen (+£128.51).