

Doro IP880dect IP Telephone



Product Name: Doro IP880dect IP Telephone

Manufacturer: Doro

Model Number: -

Availability: Discontinued

Please note that the Doro IP880 has been discontinued. We recommend the Snom M3 as a good alternative.

Doro IP880dect

An expandable complement to wired VoIP systems, ip880dect provides greater user freedom with DECT wireless technology. Each ip880dect gateway can handle up to 8 SIP accounts and handsets, 2 SIP providers (e.g. external long distance service plus own SIP enabled PBX for internal/incoming calls) as well as regular PSTN service. Perfect for small businesses or individual departments within larger companies.

Main features:

•

LAN interface connection: 10BASE-T (RJ45 8/8)

•

PSTN connection: RJ11

•

Double antenna for diversity

•

3 concurrent VoIP calls (SIP 2.0 – RFC3261)

•

Call forward options (all, busy and no answer)

•

Voice mail support (provider dependant)

Doro IP880dect IP Telephone

ï¿½

Call timer

ï¿½

Call transfer, call hold DECT

ï¿½

Call transfer (Attend and Blind), call hold SIP

ï¿½

Music on hold support (only via PBX)

ï¿½

Call divert

ï¿½

Call park, call pick-up (only via PBX)

ï¿½

Call waiting / switching between calls

ï¿½

Redial

ï¿½

Caller ID with name from phonebook

ï¿½

VID ring tone (IP and PSTN)

ï¿½

Call log: incoming, outgoing and missed calls

Doro IP880dect IP Telephone

⌘½

Call return (from call log)

⌘½

Call swap (one handset toggles between two calls)

⌘½

Internal call

⌘½

Gateway phonebook

⌘½

Speed dial

⌘½

Automatic on hook when returning to charger

⌘½

DTMF sending in call

⌘½

Emergency call routing to PSTN

⌘½

CID; FSK and DTMF. Message waiting.

⌘½

CODECSs: G.711, G729A/B

Doro IP880dect IP Telephone

SIP features:

•

RFC3261 compliant

•

Digest/basic authentication

•

DNS SRV (RFC3263), redundant server support

•

Offer/Answer (RFC3264)

•

Message waiting indication reception (RFC3842)

•

Subscription for MWI (RFC3265)

•

In-Band DTMF/Out of band DTMF (RFC2833)

•

STUN Client (NAT Traversal)

•

Report (RFC3581)

•

REFER (RFC3515)

•

Doro IP880dect IP Telephone

8 SIP registrations with dual SIP server/registrar

⌋½

SIP configuration via http-page or from handset

Handset Features

⌋½

Lithium battery 650mAH

⌋½

Talk time 15h

⌋½

Standby time 150h

⌋½

Headset jack: 2,5mm

⌋½

64K CSTN backlit Colour LCD display

⌋½

5 levels battery indicator

⌋½

Key lock

⌋½

Speakerphone

Doro IP880dect IP Telephone

⌂½

Microphone mute

⌂½

Ringer off selection

⌂½

Message indication

⌂½

Phonebook

⌂½

Alarm

⌂½

Out of range warning

⌂½

10 Selectable ringer melodies

⌂½

Adjustable ringer volume

⌂½

Adjustable handset, speaker and headset volume

⌂½

Auto answer

⌂½

Automatic encryption (DECT)

Doro IP880dect IP Telephone

ï¿½

Call reject option

ï¿½

Date/Time from the network

ï¿½

Key beep on/off

ï¿½

Multi Language support: DE, EN, ES, FR, IT, NL, PL, PT and SE

ï¿½

Redial

ï¿½

Silent selection at incoming call

Price: Â£149.00
