

Sangoma P370 Executive-Level IP Phone



Product Name: Sangoma P370 Executive-Level IP Phone

Manufacturer: Sangoma
Model Number: 1TELP370LF

Sangoma P370 Executive-Level IP Phone (1TELP370LF)

The Sangoma P370 delivers a sleek desktop presence for the executive user with a large 7.0" 1280×800 color IPS touchscreen display. It includes high definition audio, unprecedented plug-and-play deployment, and advanced built-in applications that include voicemail, call log, contacts, phone status, user presence, parking, and more.

Sangoma P330 Key Features

� Large 7.0" 1280x800 colour IPS touchscreen display

� 16 lines (soft-keys)

� Bluetooth and Wi-Fi Support

� Built-in business applications

� Support for our PM200 attendant consolec

Highly Integrated Productivity Applications with P-Series Phones

Visual Voicemail: See who left you voicemails, along with timestamps and full control to skip and delete.

Queues: Get a full overview of call queue activity; perfect for managers who need to see at-a-glance information about the queues on the system.

Parking: See all parked calls on the system in a visual display and pick up the one you want! Call Log: In addition to standard call logs, the Call Log app allows you to see the last 50 calls made on the system, persistent across reboots!

Status (Presence): See and change your status and control how calls are handled based on the status. Status options, such as "Away" or "Away - At Lunch" are controlled by the Presence State Module in your phone system GUI.

Contacts: Search for contacts/users or groups, created by the Contact Manager module, to call users easily.

Recording: On-demand recording allows the user to start and stop recording at any time by using a phone button.

Hot Desking (Login/Logout): Log in or out of any phone and have all your extension and user settings follow you.

Conference: See all your conference rooms and view the callers in each. You have full control to admit or deny access, mute callers, or remove callers from a conference room.

Sangoma P370 - Technical Specifications User Interface

- าั¿½ 7.0 inch, 800 x 1280 pixel backlit colour IPS LCD display
- ï¿⅓ Multi-point capacitive touch
- � 16 line appearances (software)
- � Feature and context-sensitive functions
- าั¿½ Dedicated touch control with backlight for Headset, Speaker, Mute, and without backlight for



Sangoma P370 Executive-Level IP Phone

Volume functions

ï¿⅓ 3-color LED message waiting indicator (MWI)

Connections

- � 4P4C (RJ-9) handset/headset jack
- � 2 switched 10/100/1000 Mbps Ethernet ports
- � 2 USB-A 2.0 ports
- � 12 volt 1.6A DC power port
- � 2 Lock Ports
- � Electronic Hookswitch signaling port

Phone Features

- � Auto-answer
- ï¿1/2 Headset-answer
- ï¿⅓ Headset-ring
- ï¿⅓ Distinctive ring
- � Custom ringtones
- ï¿⅓ Call waiting
- ï¿1/2 Call transfer (blind & amp; attended)
- تز½ Call forward
- � Call hold
- ï¿1/2 Call parking
- � Call pickup
- ï¿⅓ Intercom/Paging
- � Message Waiting Indication
- � Busy Lamp Field (BLF)
- ï¿1/2 3-way conferencing
- ï¿1/2 Do Not Disturb (DND)
- تز½ Redial
- ï¿⅓ Call timer
- � Caller ID display
- าั¿1/2 Hot Desking Supported on Switchvox 7.8 and above

Phone Applications

- ï¿⅓ Visual Voicemail
- � Contacts
- � Presence/Status
- ï¿⅓ Call Log
- � Parked Calls
- ï¿⅓ Info
- ï¿⅓ Forward Calls

Dimensions/Weight



Sangoma P370 Executive-Level IP Phone

� 11" x 9.0" x 3.5", 2.7 lbs.

Audio Features

- i¿½ Handset, handsfree, and headset modes
- า๊¿½ Full-duplex HD speakerphone with echo cancellation
- ï¿⅓ Hearing aid compatible
- ï¿⅓ Multicast audio playback
- ï¿⅓ Wideband: G.722
- าั¿½ Narrowband: G.711 ulaw/alaw, G.726, G.729a

Network Support

- ï¿1/2 Static or DHCP IP address assignment
- ï¿⅓ NTP time synchronization
- ï¿⅓ Priority queuing
- ï¿1/2 VLAN, LLDP, NAT traversal, QoS
- � 802.1X pass-through
- ï¿⅓ 802.1X authentication

SIP/VoIP Support

- � SIP v2
- ï¿⅓ TLS/SRTP
- � DTMF, RFC4733
- � SIP peer-to-peer
- � SIP presence (SUBSCRIBE/NOTIFY)
- � Per-account digit map/dial plan
- آز½ Dial using SIP URI
- ï¿⅓ Dial using SIP server
- ï¿⅓ Secure SIP authentication

Management

- ï¿⅓ Firmware update via browser
- ï¿⅓ Factory restore via UI
- ï¿⅓ Remote logging via syslog

Software Minimum Requirements

- � Switchvox >=7.9
- า๊¿½ FreePBX & Depoint Manager (latest)

Price: \$263.37