

JPL Vision Mini+ 1080p HD Webcam (JPL-VISION-MINI+)



Product Name: JPL Vision Mini+ 1080p HD Webcam (JPL-VISION-MINI+)

Manufacturer: JPL Telecom

Model Number: 575-354-001

JPL Vision Mini+ 1080p HD Webcam (JPL-VISION-MINI+)

The JPL Vision Mini+ is a small form 1080p USB Webcam featuring a high-quality glass lens. The JPL Vision Mini+ also features a bracket with grippy feet, allowing you to place it on top of laptops and computers.

JPL Vision Mini+ Key Features

- Universal 1080p HD 30fps webcam
- Ideal for all webcam users from education to remote and business workers
- Plug & play solution - No software or downloads needed
- Integrated privacy lens cover
- USB Type-A and USB Type-C connectivity using the USB adapter included
- Compatible with all computers (Mac or PC) and softphones
- Dual stereo full duplexed microphones for smooth natural conversations
- Built-in camera in-use LED indicator
- Multi-angled desk mount / monitor mount (as well as tripod fixing screw option on the base) giving full 360°; camera rotation and 90°; camera forward tilt
- 24 Month warranty

Compatible With All Major Softphones

Plug and Play is also a great feature of the Vision Mini+ No additional software downloads or updates needed. With both USB-A and USB-C connection options, allowing you to plug in and start working immediately with many of the common video conferencing platforms including Microsoft Teams, Zoom, Cisco Webex and many more.

Hybrid Working

One of a range of USB webcams and video conferencing solutions offered by JPL, the Vision Mini+ is a small form USB web camera with a 67-degree field of view, allowing it to be used in an office or on the go.

Features

The JPL Vision Mini+ also packs in all the features you need. There's the obvious improvement in video quality that you'd expect, but there are also dual microphones for improved audio pick up, power and 'in use' LED indicators as well as a pivoting mount, allowing the camera to be positioned just as you need it. The Vision Mini+ also comes with an integrated privacy lens cover.

JPL Vision Mini+ Technical Specifications

General

JPL Vision Mini+ 1080p HD Webcam (JPL-VISION-MINI+)

- 1080p HD 30fps CMOS Camera
- Ideal for all webcam users from education to remote and business workers
- Full HD 1080p glass lens - No optical distortion
- Dual stereo full duplexed microphones for smooth natural conversations
- Built in camera in-use LED indicator
- Integrated privacy lens cover
- USB 2.0 Type-A and USB Type-C connectivity using the USB adapter included
- Desk mount, monitor mount or tripod option
- Full 360°; camera rotation including 90°; tilt for over desk viewing
- Automatic low-light correction
- AEC – Automatic Echo Cancellation
- ANS – Automatic Noise Suppression
- Certifications: UKCA, CE, FCC, RoHS, REACH
- Dimensions: 72 x 33 x 31.7mm
- Warranty: 24 Month repair or replacement warranty
- Master carton quantity: 40
- SKU: 575-368-001
- EAN: 5060126958833

Camera

- Maximum effective pixel: 2 million pixels
- Lens size: 1/2.7 inch
- Aperture: 2.5±5%
- Image area: 5.85mm x 3.27mm
- Maximum effective pixel: 1920 (H) x 1080 (V) 2.0 million pixels
- Output image format: MJPG and YUY2
- Field of view: 67°(W)
- AIC – Automatic Exposure (AE)
- Auto White Balance (AWB)
- Dynamic Black Level Calibration (ABLC)
- Resolution 1920 x 1080 @ 30fps / 1280 x 720 @ 30fps / 640 x 480 @ 30fps

Microphone

- S/N ratio: ≥60dB
- Sensitivity: -42±3dB(0dB=1V/pa,1KHz)
- Far-field distance: 0~2 meters
- Horizontal voice pickup: Horizontal 180°;
- Communication mode: Full Duplex
- AIC – Automatic gain control
- Automatic noise reduction control
- Automatic echo noise reduction control

Other

- Interface type: USB 2.0 Type-A and USB Type-C
- Voltage: 5V/500mA
- OS Support: Win 2000/XP/Vista/Win 7/Win 8/Win 10 / Linux with UVC (above Linux - 2.6.26) / Mac - OS X 10.4.8 or later / Win CE with UVC / Android 4.0 or above with UVC
- Size: (camera / box) 72 x 33 x 31.7mm / 105 x 70 x 70mm
- Weight: (camera / box) 106g / 150g

JPL Vision Mini+ 1080p HD Webcam (JPL-VISION-MINI+)

Price: £41.80
