

Yealink MeetingBoard 65 Collaboration Display For Microsoft Teams



Product Name: Yealink MeetingBoard 65 Collaboration Display For Microsoft Teams

Manufacturer: Yealink

Model Number: MB65-A001

Yealink MeetingBoard 65 Collaboration Display For Microsoft Teams

Introducing the Yealink MeetingBoard: the ultimate next-generation collaboration solution. This sleek 65" professional display combines intelligent features, such as a scalable Android OPS and a native Microsoft Teams app, with versatile mounting options. It bridges the gap between interactive collaboration and video conferencing, satisfying all content sharing and virtual communication needs. With a wide range of connection ports and wireless capabilities, this all-in-one display is perfect for large school and corporate spaces, allowing seamless integration of additional audio and video modules.

Yealink MeetingBoard 65 Key Features

- 65-inch LED touch screen
- Runs on Android 10
- Built-in 4K camera with electric privacy shutter
- Enhanced AI Noise Cancellation
- Dual-screen supported
- WiFi 6 wireless presentation
- Upgradeable Android OPS module
- Microsoft Teams certified, with support for Teams Whiteboard
- Wall mounted (supports optional floor stand, sold separately)

Smart Collaboration Whiteboard

This MeetingBoard is designed for smart collaboration and features a native Teams experience. It is equipped with Android 10 and offers a 65-inch LED touch screen with a rich 4K visual presentation and easy menu navigation through the Teams-tailored operation interface. The touchscreen supports four-level input smart digital ink recognition, allowing you to write and erase with a pen tip, navigate with your fingers, and it also supports palm rejection. Additionally, it enables multi-inking simultaneously, facilitating collaboration with multiple people on one board. The Microsoft Teams Whiteboard, a cloud application, allows seamless joining and collaboration from anywhere.

Professional Conferencing AI Video Experience

With its built-in 4K camera and professional-grade image sensor, this MeetingBoard delivers an exceptional FHD video conferencing experience. The camera ensures sharpness, accurate color rendition, and effective noise handling. Alongside real-time Auto Framing and Speaker Tracking, the MeetingBoard offers various AI-based camera tracking features such as Picture in Picture, Presenter Tracking, and People Feed, creating an immersive conference environment.

Premium Full-Duplex Conferencing Experience

Featuring built-in 16 MEMS beamforming microphone arrays, the MeetingBoard provides superior noise proofing and reverberation suppression. The advanced beamforming algorithm, combined with enhanced AI technology for acoustic echo cancellation and reverberation suppression, enables high-quality full-duplex calls with precise voice pickup, even in challenging acoustic environments. Additionally, the 4+2 stereo microphones offer spatial stereo video, enhancing the sense of participants sitting across the table from each other.

One Stop Solution for All Rooms

By pairing the MeetingBoard with Yealink Room Panel, Room Sensor, and Touch Console (sold

Yealink MeetingBoard 65 Collaboration Display For Microsoft Teams

separately), you can easily create a complete intelligent meeting space. Furthermore, the MeetingBoard allows seamless switching between Windows and Android platforms or BYOD mode with just one tap, providing limitless usage possibilities. For medium or large meeting spaces, the MeetingBoard can be expanded by connecting a detachable optical PTZ camera, wireless expansion microphones, and cascading dual-touch displays.

Yealink MeetingBoard 65 Technical Specifications Display

- MeetingBoard 65: 65-inch D-LED touch screen
- Ultra HD 4K (3840 x 2160 screen resolution)
- Anti-glare and anti-fingerprint coating
- Contrast ratio 1200:1(typ.)
- Viewing angle 178°(H) / 178°(V)
- Ratio 16:9
- Refreshing Frequency 60Hz
- Touch Points 20 points
- Location Accuracy ±1mm(over 90% Area)
- Contact Height < 2mm

Camera

- 8MP Sony sensor
- 120°; Diagonal field of view
- 4x e-PTZ
- Electric privacy shutter
- MB-Camera-6X

- 8MP Sony sensor
- 6x optical zoom
- FOV: 80°;
- HFOV (Rotational): ±100°;
- VFOV (Rotational): 0°; /-90°;

• MB-Camera-12X*

- 8MP Sony sensor
- 12x optical zoom
- FOV: 90°;
- HFOV (Rotational): ±100°;
- VFOV (Rotational): 0°; /-90°;

Intelligence Features

- Auto Framing
- Speaker Tracking
- Multi-focus Framing (Integrated)
- PiP Mode
- Smart Gallery (Zoom)

Audio

Yealink MeetingBoard 65 Collaboration Display For Microsoft Teams

- Built-in 16 MEMS Mic Array
- 4 full range+2 tweeter stereo speakers
- Support RCA input/output
- Yealink Enhanced Noise Proof Technology
- Acoustic Echo Cancellation
- Reverberation Suppression
- Auto Gain Control
- Beamforming Technology
- CNG/PLC/AJB/De-Rerb

Operating System

- Android 10

Meeting Features

- Calendar
- One-click join
- Meeting collaboration

- Content sharing
- Whiteboard

Meeting control

- Add participants
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

Teams Edition

- Microsoft Teams Admin Center
- Proximity join

Zoom Edition

- Zoom DM
- Direct sharing

Video Standard

- Video codecs: H.264 High profile, H.264 SVC, H.264

Network and Security Features

- IPv4 and IPv6, DHCP/static IP

Yealink MeetingBoard 65 Collaboration Display For Microsoft Teams

- HTTP/HTTPS web server
- SRTP/TLS, AES 256-bit encryption
- QoS: 802.1p/q, Diff-serv
- VLAN, LLDP
- IEEE802.1X

- EAP-MD5/EAP-TLS
- PEAP-MSCHAPv2
- EAP-TTLS/EAP-MSCHAPv2

- Network diagnosis: Ping, Trace route
- Time and date synchronization using SNTP
- Built-in certificate
- Simple Certificate Enrollment Protocol (SCEP)

Connections

- 1 x detachable PTZ camera port
- 1 x HDMI output (CEC supported)
- 1 x HDMI input (only for source input)
- 2 x RCA audio input
- 2 x RCA audio output
- 1 x Yealink VCH port (RJ-45)
- 3 x USB Type A
- 1 x 10/100M/1000M Ethernet port
- 1 x Power port
- 1 x Windows OPS slot
- 1 x Security lock slot
- 1 x Reset slot
- Motion sensor
- WiFi6 2x2 MIMO dual-band
- Built-in Bluetooth 5.0
- NFC supported

Buttons

- LED lightstrips
- Home button
- Input source button
- Volume up/down button

Optional Accessories

- MB-CAM-6X module
- MB-CAM-12X module*
- VCM36-W wireless microphone
- WPP30 wireless sharing & BYOD dongle*
- Windows OPS module

Other Physical Features

- Storage: built-in 64 GB (Available: 40G)

Yealink MeetingBoard 65 Collaboration Display For Microsoft Teams

• Power Adapter: AC 100~240V input

• USB Output: 5V 0.5A

• Power consumption

• MeetingBoard 65: 128w

• Dimension (W.D.H)

• Wall mount:

• MeetingBoard 65 (mm): 1490 x 936 x 96 (VESA: 600mm x 400mm)

• Floor stand:

• MeetingBoard 65 (mm): 1160 x 1193 x 653

• Operating humidity: 10~95%

• Operating temperature: 0~40°C

• Storage temperature: -30~70°C

Please Enquire
