

## Fanvil Linkvil W611W Portable WIFI Phone



Product Name: Fanvil Linkvil W611W Portable WIFI Phone

Manufacturer: Fanvil

Model Number: W611W

### Fanvil Linkvil W611W Portable WI-FI Phone

The Fanvil Linkvil W611W is a portable, elegant Wi-Fi phone designed for mobile communication applications. Certified to IP67 standard, the W611W is highly waterproof, dustproof, and can be dropped safely from a 1.8-meter height. It has excellent performance in different environments with humidity and dust. The W611W integrates Wi-Fi 6, bringing a superb wireless communication experience. Moreover, it integrates Bluetooth 5.0 for pairing with headsets and mobile devices. Fanvil Linkvil W611W-NFR Key Features:

- 2.4" 240 x 320 colour screen with intuitive user interface
- High protection level of IP67
- Dual-band Wi-Fi 802.11 a/b/g/n/ac/ax Wi-Fi (Wi-Fi 6, 2.4GHz & 5GHz)
- IEEE802.11k/v/r roaming
- WPA / WPA2-PSK and 802.1X EAP encryption to ensure communications security
- Push-to-talk (PTT) button for quick dial
- Up to 9 hours' talk time and up to 200 hours standby time

Installed with a rechargeable 1900mAh battery, the W611W is ready for 9 hours' talk time or 200 hours standby time. The W611W is widely used in various wireless scenarios such as enterprises, shopping malls, residential areas, hotels and warehouses, providing users with high-quality mobile communication experience.

### Fanvil Linkvil W611W Technical Specifications

Generic

- 2.4-inch 240\*320 color high-definition LCD display
- 4 SIP lines
- Caller ID
- Handset/Hands-free/Headset Mode• Support custom DSS keys
- HD Voice
- Belt clip
- Desktop charging base
- Standard type-c interface
- Rechargeable Lithium Battery
- Support Wi-Fi 6
- Support Bluetooth 5.0
- Support multi language: English/Chinese/German/French/Italian/Portuguese/Russian/Spanish

### Phone Features

- Network time synchronization
- Local contacts
- Remote Phonebook (XML/LDAP, 1000 entries)
- Multi-language optional
- Call logs
- Blocked List/Allowed List
- Screen saver

## Fanvil Linkvil W611W Portable WIFI Phone

- Personalized ringtone settings
- Screen backlight adjustment
- Memorandum
- SMS service
- Voicemail&#65288;MWI&#65289;
- Menu encryption settings
- Keypad lock/ backlight adjustment
- Volume adjustment

### Call Features

- Auto-Answering
- Call out/Answer/Reject
- Call waiting/Switch
- Call forwarding
- Speed Dial
- Intercom
- Anonymous calls
- 3-way Conference
- Restrict outgoing calls
- IP direct dial
- Speed Dial
- Emergency call
- Caller ID Display
- Inquiry (dialing, incoming and outgoing calls)
- Do-Not-Disturb
- PTT one-key call
- Self-adaptive light-sensing screen off (during a call on the handset)

### Audio

- Narrowband Codec: G.711a/u, G.729AB,iLBC
- Wideband Codec: G.722, Opus
- Acoustic Echo Cancellation (AEC)- maximum 96ms echo delay cancellation
- Voice Activity Detection&#65288;VAD&#65289;/ Comfort Noise Generation&#65288;CNG&#65289;/ Background Noise Estimation (BNE)
- Packet Loss Concealment
- Dynamic adaptive jitter cache up to 300ms
- DTMF: In-band, Out-of-Band &ndash; DTMF-Relay(RFC2833) / SIPINFO

### Network

- Built-in Wi-Fi, support 802.11 a/b/g/n/ac/ax protocol: 2.4GHz IEEE 802.11 b/g/n/ax 5GHz IEEE 802.11a/n/ac/ax Encryption&#65306;WPA /WPA2-PSK&#65292;802.11XEAP
- Built-in Bluetooth 5.0 module

### Power Management

- Reminder when charging
- Full reminder
- Low battery prompt
- After abnormal shutdown, the charging will automatically start
- Real-time statistics/display of system power

### Protocols

## Fanvil Linkvil W611W Portable WIFI Phone

ï¿½ RTP/RTCP/SRTP  
ï¿½ STUN  
ï¿½ HCP  
ï¿½ SNTP  
ï¿½ FTP/TFTP  
ï¿½ HTTP/HTTPS  
ï¿½ TR-069

### Deployment and Maintenance

ï¿½ Auto-Provisioning via FTP/TFTP/HTTP/HTTPS/DHCP/PT66/SIP/PP/TR-069  
ï¿½ Web management interface  
ï¿½ Web-based Packet-dump  
ï¿½ Configuration export/import  
ï¿½ Firmware upgrade  
ï¿½ Syslog

### Physical Specifications

ï¿½ Protection class: IP67  
ï¿½ Drop height: 1.8m  
ï¿½ Shell material: plastic shell, two-color injection molding  
ï¿½ Charging Base x1  
ï¿½ Belt Clip x1  
ï¿½ Rechargeable Battery x1 1900mAh  
ï¿½ DC input: 5V/2A  
ï¿½ Charging port: Type-c  
ï¿½ Headphone jack: 3.5mm standard jack  
ï¿½ Installation method: Belt Clip /Desktop  
ï¿½ Operating temperature: 0~45~  
ï¿½ Storage temperature:-20~60~  
ï¿½ Relative humidity:10~95%  
ï¿½ Product size:160\*53\*16mm  
ï¿½ Product weight:156g  
ï¿½ Certificates:CE/FCC/UKCA/RoHS/SRRC  
ï¿½ Box size: 200\*117\*103mm  
ï¿½ Outer box size: 437\*254\*220mm ((8PCS)

**Price: £143.70**

Options available for Fanvil Linkvil W611W Portable WIFI Phone :

### Headset

JPL BT500D Wireless Headset (+£121.50), Not Required, JPL Commander PM Wired Headset 575-365-003 (+£43.00).