

## Snom HD3 Hospitality Phone (HD3)



Product Name: Snom HD3 Hospitality Phone (HD3)

Manufacturer: Snom

Model Number: HD3

### Snom HD3 Hospitality Phone (HD3)

The Snom HD3 is a cordless DECT handset designed to expand the Snom HD351W hospitality phone system. Ideal for hotels and guest accommodations, it allows for seamless communication across multiple rooms or areas. In addition to their own charging cradle, all handsets have the most important features for the comfort of your guest: hands-free calling, muting and call hold are integrated, individual key functions can be stored! The HD3 has an antibacterial housing to protect against germs and is easy to clean. A large visual display alerts the guest to calls or waiting messages. The handsets can be individually labeled.

Antibacterial housing - The coating of the housing offers effective protection against germs

DSGVO by Design - No data storage of guest data!

Customisation - As with almost all appliances in the Hospitality series, you can optionally order customised inserts for the base tray.

### Snom HD3 Key Features

- Antibacterial housing
- Additional Cordless DECT handset
- Color: gunmetal black
- Large LED call indicator
- Backlit Keys
- Hearing-aid compatible (HAC)

### Snom HD3 Technical Specifications

#### Basics

#### Product Information

Cordless DECT handset | Charging cradle | PN 00007011

Anti-bacterial housing

Colour: Gunmetal Black

Sturdy, solid construction

Customisable section for colour or hotel branding

Placement: indoor, desktop, nightstand

#### Dimensions and Weight

##### Dimensions (H x W x D, Approx.)

DECT handset: 48 mm x 21 mm x 203 mm

Charging cradle: 51 mm x 121 mm x 133 mm

DECT handset (on the charging cradle, desk mounted): 53 mm x 56 mm x 216 mm

##### Weight (Approx.)

DECT handset: 145 g

## Snom HD3 Hospitality Phone (HD3)

½ Charging cradle: 72 g

½ DECT handset (on the charging cradle, desk mounted): 344 g

### Indicators and Keys

½ DECT handset: 5 LED indicators

½ Message waiting indication (MWI): 1 red LED

½ Flash/Talk key indication: 1 green LED

½ Speakerphone mode: 1 red LED

½ Mute status indication: 1 red LED

½ Low battery indication: 1 red LED

½ Charging cradle: 1 LED indicator

½ Charging indication: 1 red LED

½ DECT handset: 23 hard keys in total

½ 12 keys (standard ITU telephone keypad), backlit

½ 4 dedicated audio keys

½ Mute (with red LED)

½ Speakerphone (with red LED)

½ Volume +

½ Volume -

½ 3 programmable function keys

½ Speed dialling

½ 4 dedicated function keys:

½ Offhook (with green LED)

½ Onhook

½ Message

½ Hold

### Audio Devices and Features

½ Microphone

½ Handset earpiece

½ Hearing aid compatible (HAC)

½ External speaker

## Snom HD3 Hospitality Phone (HD3)

½ Speakerphone mode

½ Built-in assignable ringtones

Interfaces and Connections

½ Power Options

½ DECT handset: Battery lithium-ion, 3.7 V, 1,000 mAh, removable, rechargeable, up to 7 h talk time, up to 120 h standby time, up to 11 h charging time

½ Charging cradle: Power adapter (VT-PLII) 100 - 240 V AC, 50/60 Hz, 150 mA|6 V DC, 450 mA, 2.7 W

½ Wired Interfaces

½ Charging cradle: coaxial power connector (socket)

½ Wireless interfaces

½ DECT

DECT technology and features

½ Standard: DECT

½ Wideband audio

½ Frequency band

½ EU & UK & AU: 1,881.792 - 1,897.344 MHz

½ Easy registration to compatible base stations

Call features

½ Quick call answer (by simple pick-up from the base/charger)

½ Speed dialling via function keys

½ Mute microphone (via dedicated function key)

½ Speakerphone mode (via dedicated function key)

½ Hold (via dedicated function key)

½ Multicast paging

Environmental conditions

½ Operating ambient temperature: 5 °C - 45 °C

½ Humidity (non-condensing): 5 % - 95 %

Package Contents

## Snom HD3 Hospitality Phone (HD3)

### ½ Hardware

½ DECT handset HD3

½ Battery

½ Charging cradle

½ Power adapter

### ½ Documentation

½ Quick Installation Guide (QIG)

### Snom Accessories and Compatible Devices

½ Guest room phone: HD351W (PN 00007009), HD351A (PN 00007031)

½ Power adapter: HD3 PSU

½ EU: PN 00004683

½ UK: PN 00004684

½ AU: PN 00004685

½ Battery HD3 (PN 00004627)

**Please Enquire**

---